# HEXAGOCM-D



## HEXAGO CM-D





designed to

A B S O R B


FORM


AT WOOD


#### PRODUCT FEATURES:

- sound absorption class D (EN ISO 11654)
- suitable for office spaces, conference rooms, hotel lobbies and other public-access spaces
- perfect sound absorption in the speech bandwidth (over 60% between 200-800 Hz)
- increase in the STI speech transmission index

- can be mixed with eco-friendly and recyclable mate-
- rial such as PET fiberboards and fiberglass
- compact modular hexagonal construction, side length 250mm, thickness 92mm
- wood type: oak / american walnut
- finish: satin oil / varnish
- weight: 4,5kg










# FORM AT WOOD

## designed to <u>A B S</u> O R B





### PRODUCT FEATURES:

• highest sound absorption class A (EN ISO 11654)

suitable for all rooms where acoustics is essential
recording studios, private listening rooms, confer-

ence and auditoria rooms, and others

• broadband reverberation reduction and speech transmission enhancement in the full frequency range • can be mixed with eco-friendly and recyclable material such as PET fiberboards and fiberglass

• compact modular hexagonal construction, side length 250mm, thickness 87mm

- wood type: oak / american walnut
- finish: satin oil / varnish
- weight: 3,6kg

